

Prevention Measure Workgroup "Yes" Measures by Unit of Analysis - October 1, 2014																				
Measure Information							Scoring													
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Total Selection Criteria Points	Based on readily available data	Measure-specific comments for Criterion A	Nationally-vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Measure-specific comments for Criterion C	Significant potential to positively impact health outcomes	Measure-specific comments for Criterion D	Significant potential to reduce costs	Measure-specific comments for Criterion E	Sufficient denominator size	Measure-specific comments for Criterion F	If provider-focused, the provider can impact the outcome	Measure-specific comments for Criterion G
22	Cervical Cancer Screening (CCS)	0032	NCQA	Adult Screening(s)	Claims only	Percentage of women 21-64 years of age who received PAP test to screen for cervical cancer. (interval every 3 years)	12	Yes		Yes	Yes	8	Yes	comm and M'aid both at nat'l avg & below 90th %	No	No- according to GAO report	Yes		Yes	
25	Chlamydia Screening (CHL)	0033	NCQA	Adult Screening(s)	Claims	Percentage of women ages 16 to 24 that were identified as sexually active and had at least one test for Chlamydia during the measurement year	13	Yes		Yes	Yes	4	Yes	comm below nat'l 90th and med below nat'l ave	Somewhat		Yes		Yes	
28	Colorectal Cancer Screening (COL)	0034	NCQA	Adult Screening(s)	Claims	Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer.	12	Somewhat		Yes	Yes	4	Yes	comm below nat'l 90th; no M'aid info available	Somewhat	yes for one time Colonoscopy, no for Colonoscopy once per 10 years versus	Yes		Yes	
252	Breast Cancer Screening (No longer NQF endorsed)	NA	NCQA	Adult Screening(s)	Claims	The percentage of women 50–74 years of age who had a mammogram to screen for breast cancer. (interval = 1x/27 months) (2015 HEDIS specifications)	11	Yes		Yes	Somewhat		Yes	comm and M'aid both at nat'l avg & below 90th %	No	Mammography every 2 years versus observation- no	Yes		Yes	
122	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	1516	NCQA	Childhood: early and adolescent well-care	Claims	Percentage of children ages 3 to 6 that had one or more well-child visits with a PCP during the measurement year	11	Yes		Yes	Yes	4	Yes	comm at nat'l avg; Medicaid below nat'l avg	No		Somewhat		Yes	
23	Child and Adolescent Access to Primary Care Practitioners (CAP)	NA	NCQA	Childhood: early and adolescent well-care	Claims	Percentage of children and adolescents ages 12 months to 19 years that had a visit with a PCP, including four separate percentages: Children ages 12 to 24 months and 25 months to 6 years who had a visit with a PCP during the measurement year Children ages 7 to 11 years and adolescents ages 12 to 19 years who had a visit with a PCP during the measurement year or the year prior to the measurement year	10	Yes		Yes	Somewhat	2	Somewhat	Comm 12-19 years (89%) below nat'l ave (97%) and Comm 25 months to 6 years (88%) at nat'l ave and below nat'l 90th. All other comm and M'aid are at the nat'l 90th (in the 90's as well)	No		Yes		Yes	
24	Childhood Immunization Status (CIS)	0038	NCQA	Immunizations	WA IIS	Percentage of children that turned 2 years old during the measurement year and had specific vaccines by their second birthday	10	Somewhat	health plan: yes county: somewhat provider: no	Yes	Somewhat	2	Yes	WA avgs below nat'l 90th %	Yes		Yes		n/a	

Prevention Measure Workgroup "Yes" Measures by Unit of Analysis - October 1, 2014																				
Measure Information							Scoring													
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Total Selection Criteria Points	Based on readily available data	Measure-specific comments for Criterion A	Nationally-vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Measure-specific comments for Criterion C	Significant potential to positively impact health outcomes	Measure-specific comments for Criterion D	Significant potential to reduce costs	Measure-specific comments for Criterion E	Sufficient denominator size	Measure-specific comments for Criterion F	If provider-focused, the provider can impact the outcome	Measure-specific comments for Criterion G
143	Influenza Immunization	0041	AMA-PCPI	Immunizations	WA IIS	Percentage of patients aged 6 months and older seen for a visit between October 1 and March 31 who received an influenza immunization OR who reported previous receipt of an influenza immunization	9	Somewhat	health plan: yes county: somewhat provider: no	Yes	No	1	Yes		Yes	Yes- according to the advisory committee on immunization	Yes		n/a	
180	Pneumonia Vaccination Status for Older Adults (PNU)	0043	NCQA	Immunizations	WA IIS	Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.	7	Somewhat	health plan: yes county: somewhat provider: no	Yes	No	0	Yes		No	No- Pneumococcal vaccine at the same time as seasonal influenza vaccine compared to either vaccine given alone	Yes		n/a	
222	Human Papillomavirus (HPV) Vaccine forAdolescents	n/a	NCQA	Immunizations	WA IIS	Percentage of adolescents 13 years of age who had three doses of the human papillomavirus (HPV) vaccine by their 13th birthday.	7	Somewhat	health plan: yes county: somewhat provider: no	Yes	No	0	Yes		No	Routine HPV vaccination compared with cervical cancer screening alone- no and HPV vaccination for males if female rates of vaccination remain fairly low no	Yes		n/a	
2	Adolescent Immunization Status (AIS)	1407	NCQA	Immunizations	WA IIS	Percentage of adolescents that turned 13 years old during the measurement year and had specific vaccines by their 13th birthday	8	Somewhat	health plan: yes county: somewhat provider: no	Yes	No	1	Yes	Comm below nat'l avg; M'aid below nat'l 90th %	Somewhat		Yes		n/a	
121	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents: Body Mass Index Assessment for Children/ Adolescents (WCC)	0024	NCQA	Nutrition/ Physical Activity/ Obesity	Claims and	Percentage of children ages 3 to 17 that had an outpatient visit with a primary care practitioner (PCP) or obstetrical/gynecological (OB/GYN) practitioner and whose weight is classified based on body mass index percentile for age and gender	6	Somewhat		Yes	Somewhat		Somewhat		Somewhat		No	Denominator large; numerator is the problem	n/a	

Prevention Measure Workgroup "Yes" Measures by Unit of Analysis - October 1, 2014																				
Measure Information							Scoring													
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Total Selection Criteria Points	Based on readily available data	Measure-specific comments for Criterion A	Nationally-vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Measure-specific comments for Criterion C	Significant potential to positively impact health outcomes	Measure-specific comments for Criterion D	Significant potential to reduce costs	Measure-specific comments for Criterion E	Sufficient denominator size	Measure-specific comments for Criterion F	If provider-focused, the provider can impact the outcome	Measure-specific comments for Criterion G
157	Primary Caries Prevention Intervention as Part of Well/III Child Care as Offered by Primary Care Medical Providers	1419	University of	Oral Health	Claims	The measure will a) track the extent to which the PCMP or clinic (determined by the provider number used for billing) applies FV as part of the EPSDT examination and b) track the degree to which each billing entity's use of the EPSDT with FV codes increases from year to year (more children varnished and more children receiving FV four times a year according to ADA recommendations for high-risk children).	5	Somewhat	Medicaid and Delta Dental	No	No		Somewhat		Somewhat		Yes		n/a	
124	Medical Assistance With Smoking and Tobacco Use Cessation (MSC)	0027	NCQA	Tobacco Cessation	Survey	Assesses different facets of providing medical assistance with smoking and tobacco use cessation: Advising Smokers and Tobacco Users to Quit Discussing Cessation Medications Discussing Cessation Strategies	8	No	If funding were available, then this measure could be collected.	Yes	No	1	Yes	Both commercial and Medicaid below national average	Yes	Smoking cessation with counseling, nicotine and drug treatment to stop smoking, and to reduce the risk of cardiovascular and other diseases- yes	Yes	Health plan level only	n/a	
4	Adult Access to Preventive/Ambulatory Health Services (AAP)	NA	NCQA	Utilization	Claims	The percentage of members 20 to 44 years, 45 to 64 years, and 65 years and older who had an ambulatory or preventive care visit. The organization reports three separate percentages for each age stratification and product line (commercial, Medicaid and Medicare) and a total rate: •Medicaid and Medicare members who had an ambulatory or preventive care visit during the measurement year •Commercial members who had an ambulatory or preventive care visit during the measurement year or the two years prior to the measurement year	10	Yes		Yes	Yes		Somewhat		Somewhat		Yes		n/a	

Prevention Measure Workgroup "Yes" Measures by Unit of Analysis - October 1, 2014																				
Measure Information							Scoring													
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Total Selection Criteria Points	Based on readily available data	Measure-specific comments for Criterion A	Nationally-vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Measure-specific comments for Criterion C	Significant potential to positively impact health outcomes	Measure-specific comments for Criterion D	Significant potential to reduce costs	Measure-specific comments for Criterion E	Sufficient denominator size	Measure-specific comments for Criterion F	If provider-focused, the provider can impact the outcome	Measure-specific comments for Criterion G
	Adult BMI Assessment	NA	NCQA	Adult Screening(s)	Claims and Clinical Data	The percentage of members 18 to 74 years of age who had an outpatient visit and whose body mass index (BMI) was documented during the measurement year or the year prior to the measurement year. Requires clinical data; results only available at health plan level.	10	Yes	Only available through health plans that measure and report for NCQA	Yes	Yes		Somewhat		Somewhat		Yes		n/a	
	Percentage of Adults who Smoke Cigarettes	NA	BRFSS	Tobacco Cessation	Survey	Numerator: # of adults ages 18 and older who answer “every day” or “some days” in response to the question, “Do you now smoke cigarettes every day, some days, or not at all?” Denominator: # of adults age 18 and older who answer this question.	8	Yes		Yes	Somewhat		Somewhat		Somewhat		Somewhat		N/a	
	Percentage of Adults who Report Fair or Poor Health	NA	BRFSS	Adult Screening(s)	Survey	Numerator: # of adults age 18 and older who answer “fair” or “poor” in response to the question, “would you say your health in general is excellent, very good, good, fair or poor?” Denominator: #of adults age 18 and older who answer this question	8	Yes		Yes	Somewhat		Somewhat		Somewhat		Somewhat		N/A	
	Screening for HIV	NA	CDC	Adult Screening(s)	Claims	Number of patients in the denominator who had at least one HIV test performed during a routine exam or medical visit in an outpatient/ambulatory care setting with a nurse practitioner, physician, and/or physician assistant. Denominator Statement: Number of patients between the ages of 15-65 seen by a primary health care provider over a 12 month period.	9	Yes		Yes	No		Somewhat		Yes		Yes		N/A	

Prevention Measure Workgroup "Yes" Measures by Unit of Analysis - October 1, 2014																				
Measure Information							Scoring													
#	Measure Name	NQF Number	Steward	Category	Data Source	Description	Total Selection Criteria Points	Based on readily available data	Measure-specific comments for Criterion A	Nationally-vetted (e.g. NQF endorsed)	Aligned with measures in other WA and national measure sets	Measure-specific comments for Criterion C	Significant potential to positively impact health outcomes	Measure-specific comments for Criterion D	Significant potential to reduce costs	Measure-specific comments for Criterion E	Sufficient denominator size	Measure-specific comments for Criterion F	If provider-focused, the provider can impact the outcome	Measure-specific comments for Criterion G
	Percentage of Adults Reporting 14 or more Days of Poor Mental Health	NA	BRFSS	Adult Screening(s)	Survey	Percentage of adults ages 18 and older who answer "14 or more days" in response to the question, "Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"	9	Yes		Yes	Somewhat		Somewhat		Somewhat		Yes		NA	
	Adult obesity: % of adults with a healthy weight	NA	BRFSS	Adult Screening(s)	Survey	The percentage of adults with a BMI of 18.5 – 24.9. The BMI is collected through the Behavioral Risk Factor Surveillance System (BRFSS).	9	Yes		Yes	Somewhat		Somewhat		Somewhat		Yes		NA	